

WHAT IS CLAIMED IS:

1 1. A method of direct extraction of cellular
2 material from a tissue sample which comprises:
3 providing a tissue sample;
4 providing a selectively activated surface which can be
5 activated to provide selectively activated regions thereof
6 with adhesive properties;
7 providing a convex surface;
8 identifying at least one portion of the tissue sample
9 which is to be extracted;
10 juxtaposing at least one portion of the tissue sample
11 with the convex surface;
12 selectively activating the portion of the selectively
13 activated surface to form an adhesive transfer surface;
14 contacting the tissue sample with the adhesive transfer
15 surface; and
16 separating the adhesive transfer surface from the tissue
17 sample while maintaining adhesion with the at least one
18 portion of the tissue sample so that the at least one portion
19 of the tissue sample is extracted from a remaining portion of
20 the tissue sample and attached to the adhesive transfer
21 surface.

1 2. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the contacting step occurs before the selectively activating
4 step.

1 3. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the contacting step occurs after the selectively activating
4 step.

1 4. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the selectively activated surface is attached to the convex
4 surface.

1 5. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is cylindrical.

1 6. A method of direct extraction of cellular
2 material from a tissue sample according to claim 5, wherein
3 the cylindrical surface makes a line contact with the tissue
4 sample.

1 7. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is conical.

1 8. A method of direct extraction of cellular
2 material from a tissue sample according to claim 7 and wherein
3 the conical surface is a frustum of a cone.

1 9. A method of direct extraction of cellular
2 material from a tissue sample according to claim 7 and wherein
3 the convex surface makes a line contact with the tissue
4 sample.

1 10. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is provided with facets.

1 11. A method of direct extraction of cellular
2 material from a tissue sample according to claim 10 and
3 wherein only one facet at a time comes in contact with the
4 tissue sample.

1 12. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is located at the extremity of a rod.

1 13. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is spherical.

1 14. A method of direct extraction of cellular
2 material from a tissue sample according to claim 13 and
3 wherein the spherical surface has a circular contact with the
4 tissue sample.

1 15. A method of direct extraction of cellular
2 material from a tissue sample according to claim 1 and wherein
3 the convex surface is an oblate spheroid.

1 16. A method of direct extraction of cellular
2 material from a tissue sample according to claim 15 and
3 wherein the oblate spheroid contacts the tissue sample at an
4 elliptical patch.

1 17. A method of direct extraction of desired
2 cellular material from a tissue sample having diverse cellular
3 material including the steps of:

4 a. providing a tissue sample having dispersed
5 desired cellular material scattered throughout the tissue
6 sample;

7 b. providing a selectively activated convex
8 surface which can be activated to provide selective regions
9 thereof with adhesive properties;

10 c. identifying at least one portion of the
11 tissue sample with desired cellular material which is to be
12 extracted;

13 d. contacting the at least one portion of the
14 tissue sample with the selectively activated convex surface;

15 e. selectively activating a region of the
16 selectively activated convex surface which is in contact with
17 the desired cellular material of the tissue sample to form an
18 adhesion region that selectively adheres to the desired
19 cellular material;

20 f. separating the adhesion region from the
21 tissue sample while maintaining adhesion between the adhesion
22 region and the desired cellular material of the tissue sample
23 so that at least a part of the at least one portion of the

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99																																																																																																																																																												
0	00000000	00000001	00000010	00000011	00000100	00000101	00000110	00000111	00001000	00001001	00001010	00001011	00001100	00001101	00001110	00001111	00010000	00010001	00010010	00010011	00010100	00010101	00010110	00010111	00011000	00011001	00011010	00011011	00011100	00011101	00011110	00011111	00100000	00100001	00100010	00100011	00100100	00100101	00100110	00100111	00101000	00101001	00101010	00101011	00101100	00101101	00101110	00101111	00110000	00110001	00110010	00110011	00110100	00110101	00110110	00110111	00111000	00111001	00111010	00111011	00111100	00111101	00111110	00111111	01000000	01000001	01000010	01000011	01000100	01000101	01000110	01000111	01001000	01001001	01001010	01001011	01001100	01001101	01001110	01001111	01010000	01010001	01010010	01010011	01010100	01010101	01010110	01010111	01011000	01011001	01011010	01011011	01011100	01011101	01011110	01011111	01100000	01100001	01100010	01100011	01100100	01100101	01100110	01100111	01101000	01101001	01101010	01101011	01101100	01101101	01101110	01101111	01110000	01110001	01110010	01110011	01110100	01110101	01110110	01110111	01111000	01111001	01111010	01111011	01111100	01111101	01111110	01111111	10000000	10000001	10000010	10000011	10000100	10000101	10000110	10000111	10001000	10001001	10001010	10001011	10001100	10001101	10001110	10001111	10010000	10010001	10010010	10010011	10010100	10010101	10010110	10010111	10011000	10011001	10011010	10011011	10011100	10011101	10011110	10011111	10100000	10100001	10100010	10100011	10100100	10100101	10100110	10100111	10101000	10101001	10101010	10101011	10101100	10101101	10101110	10101111	10110000	10110001	10110010	10110011	10110100	10110101	10110110	10110111	10111000	10111001	10111010	10111011	10111100	10111101	10111110	10111111	11000000	11000001	11000010	11000011	11000100	11000101	11000110	11000111	11001000	11001001	11001010	11001011	11001100	11001101	11001110	11001111	11010000	11010001	11010010	11010011	11010100	11010101	11010110	11010111	11011000	11011001	11011010	11011011	11011100	11011101	11011110	11011111	11100000	11100001	11100010	11100011	11100100	11100101	11100110	11100111	11101000	11101001	11101010	11101011	11101100	11101101	11101110	11101111	11110000	11110001	11110010	11110011	11110100	11110101	11110110	11110111	11111000	11111001	11111010	11111011	11111100	11111101	11111110	11111111

1 22. A method of direct extraction of desired
2 cellular material from a tissue sample according to claim 20
3 and wherein:

the repeating step occurs in separated portions of the tissue sample on the same slide.

23. A method of direct extraction of desired cellular material from a tissue sample according to claim 20 and wherein:

the repeating step occurs in separated portions of tissue samples on different slides.

24. A method of direct extraction of desired cellular material from a tissue sample according to claim 20 including the steps of:

inspecting the desired cellular material on the convex surface; and,

detaching and analyzing at least some of the desired cellular material from the convex surface after the viewing step.

25. A method of direct extraction of desired cellular material from a tissue sample according to claim 20 including the steps of:

inspecting the transferred cellular material on the convex surface; and,

encapsulating any undesired cellular material which may have transferred to the convex surface to prevent its subsequent analysis.

26. In a method of direct extraction of desired cellular material from a tissue sample according to claim 20 and wherein:

any undesired cellular material on the convex surface is inactivated by radiation or heat.

27. In a method of direct extraction of desired cellular material from a tissue sample according to claim 18 and wherein:

the desired cells as collected on the convex surface are inspected.

1 28. In combination with a microscope having
2 a stage for holding a slide with a tissue sample
3 thereon;
4 a light source and condenser for illuminating the
5 tissue sample; and,
6 an objective/eyepiece combination for examining
7 viewed portions of the tissue sample;
8 the improvement to the microscope comprises in
9 combination:
10 a selectively activated convex surface which can be
11 activated to provide selective regions thereof with adhesive
12 properties;
13 means for moving the selectively activated convex
14 surface in and out of contact with the viewed portions of the
15 tissue sample;
16 means for selectively activating portions of the
17 selectively activated convex surface in contact with the
18 tissue sample to form adhesion regions whereby when the
19 activated convex surface is moved out of contact with the
20 tissue sample the adhesion region of the at least part of the
21 viewed portions of the tissue sample adheres to the
22 selectively activated convex surface; and,
23 means for reorienting the selectively activated
24 convex surface whereby portions of the selectively activated
25 convex surface which have not been selectively activated are
26 exposed for contact with the tissue sample.

1 29. The combination with a microscope according to
2 claim 28 and wherein:
3 the means for moving the selectively activated
4 convex surface in and out of contact with the viewed portions
5 of the tissue sample includes means for moving the convex
6 surface away from a view path from the tissue sample to the
7 objective/eye piece combination.

1 30. The combination with a microscope according to
2 claim 28 wherein:
3 the convex surface is transparent.

1 31. The combination with a microscope according to
2 claim 28 wherein:

3 the selectively activated convex surface is located
4 at an extremity of a rod;

5 the means for moving the selectively activated
6 convex surface in and out of contact with the viewed portions
7 of the tissue sample includes a pivot attached to the rod
8 remote from the selectively activated convex surface for
9 pivoting the rod into and out of a light path from the tissue
10 sample to the objective/eye piece combination for viewing the
11 tissue sample; and,

12 the means for reorienting the selective activated
13 convex surface includes means for rotating the rod.

1 32. The combination with a microscope according to
2 claim 28 wherein:

3 the means for moving the selectively activated
4 convex surface in and out of contact with the viewed portions
5 of the tissue sample includes means for contacting the viewed
6 portions of the tissue sample with a measured pre-load force.

1 33. The combination with a microscope according to
2 claim 28 wherein:

3 the selectively activated convex surface is located
4 at an extremity of a rod; and,

5 the rod with its selectively activated convex
6 surface is interchangeable with other similar rods with a
7 selectively activated convex surface.

1 34. An attachment for a microscope having a stage
2 for holding a slide with a tissue sample thereon, a light
3 source and condenser for illuminating the tissue sample, and
4 an objective/eyepiece combination for examining viewed
5 portions of the tissue sample;

6 the attachment comprising in combination:

7 a selectively activated convex surface which can be
8 activated to provide selective regions thereof with adhesive
9 properties;

10 means for moving the selectively activated convex
11 surface in and out of contact with the viewed portions of the
12 tissue sample;

13 means for selectively activating portions of the
14 selectively activated convex surface in contact with the
15 tissue sample to form an adhesion region whereby when the
16 adhesion region is out of contact with the tissue sample at
17 least a part of the viewed portions of the tissue sample
18 adhere to the selectively activated convex surface; and,

19 means for reorienting the selectively activated
20 convex surface whereby portions of the selectively activated
21 convex surface which have not been activated are exposed for
22 contact with the tissue sample.

1 35. In an apparatus for laser capture
2 microdissection, a contact surface comprising:
3 a convex surface;
4 a rod with the convex surface mounted to an
5 extremity of the rod; and,
6 a selectively activated coating placed over the
7 convex surface.

1 36. The apparatus for laser capture microdissection
2 according to claim 35 wherein:
3 the convex surface is spherical.

1 37. The apparatus for laser capture microdissection
2 according to claim 35 wherein:
3 the convex surface is faceted.

1 38. The apparatus for laser capture microdissection
2 according to claim 35 wherein:
3 the convex surface is cylindrical.

1 39. The apparatus for laser capture microdissection
2 according to claim 35 wherein:
3 the convex surface has the profile of frustum.

1 40. The apparatus for laser capture microdissection
2 according to claim 35 wherein:
3 the rod and convex surface are transparent.

1 41. In an apparatus for laser capture
2 microdissection, a contact surface and vial comprising:
3 a convex surface;
4 a selectively activated coating placed over the
5 convex surface;
6 a vial having a dimension for permitting the convex
7 surface to be placed into the vial; and,
8 a fluid in the vial for liberating at least a part
9 of a tissue sample adhered to the selectively activated convex
10 surface.

1 42. A method of producing a convex surface for
2 laser capture microdissection comprising the steps of:
3 providing a rod with a convex surface;
4 coating the rod at the convex surface with an
5 activatable adhesive dissolved in a solvent; and,
6 dissolving solvent to leave the activatable adhesive
7 solidified on the rod at the convex surface.

1 43. A method of producing a convex surface for
2 laser capture microdissection according to claim 42 and
3 comprising the further steps of:
4 coating includes dipping the rod at the convex
5 surface in the activatable adhesive dissolved in a solvent.

1 44. A method of producing a convex surface for
2 laser capture microdissection according to claim 42 and
3 comprising the further steps of:
4 coating includes spraying the rod at the convex
5 surface with the activatable adhesive dissolved in a solvent.

1 45. A method of producing a convex surface for
2 laser capture microdissection according to claim 42 and
3 comprising the further steps of:

4
5
6

- 1
- 2
- 3

4
5

[illegible]